

| L Number | Hits | Search Text  | DB  | Time stamp       |
|----------|------|--|---|------------------|
| 34       | 1    | 349/153 and (voltage adj holding adj ratio)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/04/05 19:09 |
| 35       | 5    | 349/153 and (specific adj resistance)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/04/05 19:13 |
| 36       | 11   | 349/153 and (phase adj transition adj temperature)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/04/05 19:26 |
| 37       | 6    | 349/153 and (dropping adj method)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/04/05 19:17 |
| 38       | 0    | (349/153 and (specific adj resistance)) and (349/153 and (phase adj transition adj temperature)) and (349/153 and (dropping adj method)) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/04/05 19:17 |
| 39       | 0    | 349/153 and ((phase adj transition adj temperature) near10 (change or difference))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/04/05 19:28 |
| 40       | 9    | 349/153 and ((reduction or reduce) near10 weight)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/04/05 19:29 |
| -        | 65   | kojima-kazuyuki.IN.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/04/04 16:16 |
| -        | 0    | seal near10 (photosetting adj component)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/03/21 16:38 |
| -        | 3    | seal near10 (photosetting adj material)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/03/21 16:39 |
| -        | 87   | seal near10 (photosetting)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/03/21 16:39 |
| -        | 6    | seal near (photosetting)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/03/21 16:40 |
| -        | 1334 | seal near10 (thermosetting)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/03/21 16:41 |
| -        | 398  | (liquid adj crystal) near10 (specific adj resistance)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/03/21 16:49 |

|   |      |   |   |                  |
|---|------|---|---|------------------|
| - | 594  | ((liquid adj crystal) near10 (phase adj transition adj temperature))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/03/21 16:45 |
| - | 13   | ((liquid adj crystal) near10 (specific adj resistance)) and ((liquid adj crystal) near10 (phase adj transition adj temperature))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/03/21 16:50 |
| - | 22   | (seal near10 (photosetting)) and (seal near10 (thermosetting))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/03/21 16:46 |
| - | 0    | ((((liquid adj crystal) near10 (specific adj resistance)) and ((liquid adj crystal) near10 (phase adj transition adj temperature))) and ((seal near10 (photosetting)) and (seal near10 (thermosetting)))) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/03/21 16:46 |
| - | 0    | (liquid adj crystal) near10 (specific adj resistance) near10 (percent)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/03/21 16:50 |
| - | 1517 | seal near10 (thermoset\$6)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:19 |
| - | 87   | seal near10 (photoset\$6)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:20 |
| - | 4    | seal near10 (photoset\$6 adj (agent or material))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:22 |
| - | 1    | (seal near10 (thermoset\$6)) and (seal near10 (photoset\$6)) and (seal near10 (photoset\$6 adj (agent or material)))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:22 |
| - | 22   | (seal near10 (thermoset\$6)) and (seal near10 (photoset\$6))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:25 |
| - | 19   | (liquid adj crystal) near10 (dropping adj method)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:54 |
| - | 0    | EP adj Resin adj KR-02  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:28 |
| - | 0    | EY adj Resin adj KR-02  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:28 |
| - | 32   | seal near10 (photoinitiator or photo-initiator)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:29 |

|   |       |  |   |                  |
|---|-------|--|---|------------------|
| - | 0     | ((seal near10 (thermoset\$6)) and (seal near10 (photoset\$6))) and ((liquid adj crystal) near10 (dropping adj method)) and (seal near10 (photoinitiator or photo-initiator)) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:30 |
| - | 0     | seal near10 (log or logarithm or natural or ln) near10 (specific adj resistance)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:32 |
| - | 222   | seal near10 (log or logarithm)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:33 |
| - | 14    | seal near10 (specific adj resistance)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:33 |
| - | 0     | (seal near10 (log or logarithm)) and (seal near10 (specific adj resistance))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:33 |
| - | 0     | ((liquid adj crystal) near10 (dropping adj method)) and (seal near10 (log or logarithm))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:34 |
| - | 0     | ((liquid adj crystal) near10 (dropping adj method)) and (seal near10 (specific adj resistance))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:34 |
| - | 14678 | (liquid adj crystal) near10 seal\$6  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:37 |
| - | 1     | (seal near10 (log or logarithm)) and ((liquid adj crystal) near10 seal\$6)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:37 |
| - | 0     | (specific adj resistance) near10 reduc\$6 near10 (log or logarithm)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:40 |
| - | 2     | (specific adj resistance) near10 reduc\$6 near10 (8%)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:41 |
| - | 401   | (liquid adj crystal) near10 (specific adj resistance)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:46 |
| - | 13    | (specific adj resistance) near10 8%  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:46 |
| - | 2     | ((liquid adj crystal) near10 (specific adj resistance)) and ((specific adj resistance) near10 8%)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:47 |

|   |     |   |   |                  |
|---|-----|---|---|------------------|
| - | 602 | (liquid adj crystal) near10 (phase adj transition adj temperature)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:59 |
| - | 13  | ((liquid adj crystal) near10 (specific adj resistance)) and ((liquid adj crystal) near10 (phase adj transition adj temperature))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 17:35 |
| - | 0   | ((liquid adj crystal) near10 (specific adj resistance)) and ((liquid adj crystal) near10 (phase adj transition adj temperature))) and ((liquid adj crystal) near10 (dropping adj method))     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 16:49 |
| - | 186 | (liquid adj crystal) near10 (friction)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 17:24 |
| - | 0   | (liquid adj crystal) near10 (change adj in) near10 (phase adj transition adj temperature)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 17:00 |
| - | 40  | (liquid adj crystal) near10 (change) near10 (phase adj transition adj temperature)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 17:01 |
| - | 0   | ((liquid adj crystal) near10 (specific adj resistance)) and ((liquid adj crystal) near10 (friction)) and ((liquid adj crystal) near10 (change) near10 (phase adj transition adj temperature)) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 17:01 |
| - | 0   | ((liquid adj crystal) near10 (specific adj resistance)) and ((liquid adj crystal) near10 (change) near10 (phase adj transition adj temperature))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 17:01 |
| - | 0   | (phase adj transition adj temperature) near10 (0.5 adj C)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 17:09 |
| - | 9   | (phase adj transition adj temperature) near10 (0.5)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 17:11 |
| - | 0   | ((liquid adj crystal) near10 (specific adj resistance)) and ((phase adj transition adj temperature) near10 (0.5))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 17:10 |
| - | 0   | (phase adj transition adj temperature) near10 change near10 (0.5)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 17:11 |
| - | 65  | kojima-kazuyuki.IN.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 17:16 |
| - | 0   | (liquid adj crystal) near10 (friction) near10 8%  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 17:25 |

|   |     |   |   |                  |
|---|-----|---|---|------------------|
| - | 8   | (liquid adj crystal) near10 outgassing  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 17:25 |
| - | 154 | (liquid adj crystal) near10 (high adj specific adj resistance)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 17:38 |
| - | 4   | (liquid adj crystal) near10 (low adj phase adj transition adj temperature)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 17:43 |
| - | 0   | ((liquid adj crystal) near10 (high adj specific adj resistance)) and ((liquid adj crystal) near10 (low adj phase adj transition adj temperature))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 17:37 |
| - | 4   | ((liquid adj crystal) near10 (phase adj transition adj temperature)) and ((liquid adj crystal) near10 (high adj specific adj resistance))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 17:38 |
| - | 0   | (liquid adj crystal) near10 (phase adj transition adj temperature) near10 (change adj in)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 17:44 |
| - | 46  | (liquid adj crystal) near10 (phase adj transition adj temperature) near10 (change)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 17:46 |
| - | 0   | ((liquid adj crystal) near10 (specific adj resistance)) and ((liquid adj crystal) near10 (high adj specific adj resistance)) and ((liquid adj crystal) near10 (phase adj transition adj temperature) near10 (change)) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 17:45 |
| - | 0   | ((liquid adj crystal) near10 (specific adj resistance)) and ((liquid adj crystal) near10 (phase adj transition adj temperature) near10 (change))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 17:45 |
| - | 0   | (liquid adj crystal) near10 (phase adj transition adj temperature) near10 (change) near10 0.5   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/04 17:46 |
| - | 0   | reduction near10 (log or logarithm or exponent) near10 (specific adj resistance) near10 (liquid adj crystal)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 17:58 |
| - | 62  | (liquid adj crystal) near10 (log or logarithm or exponent)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:05 |
| - | 1   | (liquid adj crystal) near10 (log or logarithm or exponent) near10 ((specific adj resistance) or friction)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:07 |
| - | 1   | (liquid adj crystal) near10 (log or logarithm or exponent) near10 (resistance or friction)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:10 |

|   |     |   |   |                  |
|---|-----|---|---|------------------|
| - | 165 | (liquid adj crystal) near10 ratio near10<br>(resistance or friction)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:11 |
| - | 46  | (liquid adj crystal) near10 ratio near10<br>((specific adj resistance) or friction)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:35 |
| - | 59  | (liquid adj crystal) near10 (change or<br>difference) near10 (phase adj transition<br>adj temperature)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:15 |
| - | 0   | ((liquid adj crystal) near10 ratio near10<br>((specific adj resistance) or friction))<br>and ((liquid adj crystal) near10 (change<br>or difference) near10 (phase adj<br>transition adj temperature)) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:14 |
| - | 0   | (liquid adj crystal) near10 ratio near10<br>((specific adj resistance) or friction)<br>near10 8%  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:14 |
| - | 0   | (liquid adj crystal) near10 ratio near10<br>((specific adj resistance) or friction)<br>near10 percent   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:14 |
| - | 0   | (liquid adj crystal) near10 (change or<br>difference) near10 (phase adj transition<br>adj temperature) near10 0.5   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:15 |
| - | 0   | (liquid adj crystal) near10 (change or<br>difference) near10 (phase adj transition<br>adj temperature) near10 0.3   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:15 |
| - | 0   | (liquid adj crystal) near10 (change or<br>difference) near10 (phase adj transition<br>adj temperature) near10 0.4   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:16 |
| - | 0   | (liquid adj crystal) near10 (change or<br>difference) near10 (phase adj transition<br>adj temperature) near10 0.2   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:16 |
| - | 0   | (liquid adj crystal) near10 (change or<br>difference) near10 (phase adj transition<br>adj temperature) near10 0.1   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:17 |
| - | 2   | (liquid adj crystal) near10 (change or<br>difference) near10 (phase adj transition<br>adj temperature) near10 (small or minimal<br>or low)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:18 |
| - | 2   | (liquid adj crystal) near10 (low or small<br>or minimal) near10 (change or difference)<br>near10 (phase adj transition adj<br>temperature)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:24 |
| - | 53  | (liquid adj crystal) near10 (low or small<br>or minimal) near10 (phase adj transition<br>adj temperature)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:25 |

|   |     |   |   |                  |
|---|-----|---|---|------------------|
| - | 2   | (liquid adj crystal) near10 (low or small or minimal) near10 (phase adj transition adj temperature) near10 (difference or change)                                       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:25 |
| - | 195 | (liquid adj crystal) near10 (voltage adj holding adj ratio)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:39 |
| - | 1   | (liquid adj crystal) near10 (voltage adj holding adj ratio) near10 percent  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:37 |
| - | 0   | (liquid adj crystal) near10 (voltage adj holding adj ratio) near10 (log or logarithm or exponent)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:38 |
| - | 3   | ((liquid adj crystal) near10 (low or small or minimal) near10 (phase adj transition adj temperature)) and ((liquid adj crystal) near10 (voltage adj holding adj ratio)) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:53 |
| - | 66  | seal near10 reduction near10 weight   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:56 |
| - | 0   | seal near10 reduction near10 weight near10 0.05   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:54 |
| - | 0   | (liquid adj crystal) near10 seal near10 reduction near10 weight   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:57 |
| - | 0   | (liquid adj crystal) near10 seal near10 reduction near10 weight   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:57 |
| - | 1   | (liquid adj crystals) near10 reduction near10 weight  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 18:58 |
| - | 0   | (liquid adj crystal) near10 adhesive near10 reduction near10 weight   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 19:00 |
| - | 0   | (liquid adj crystal) near10 bond near10 reduction near10 weight   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 19:00 |
| - | 201 | (adhesive or bond) near10 reduction near10 weight   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 19:07 |
| - | 13  | (adhesive or bond) near10 reduction near10 weight near10 percent  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/05 19:02 |

|   |   |  |   |                  |
|---|---|--|---|------------------|
| - | 0 | (adhesive or bond) near10 reduction near10<br>weight near10 0.05 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/04/05 19:08 |
|---|---|--|---|------------------|